




DuxxBak[®]

Mother Nature meets her match.



Decks Built to Last. Spaces Built to Live.

DuxxBak® is the only composite decking manufacturer engineered from the ground up around water management, material longevity, and real-world performance. Every product we make is designed to transform how people build and how they live outdoors.




Table of Contents

KEY FEATURES	4
COLORS & FINISHES	6
COLLECTION OVERVIEW	8
BOARD COMPARISON	10
DUXBAK® DEKK COLLECTION	12
I.DEKK® COLLECTION	20
OPTIMA® DEKK COLLECTION	28
ACCESSORIES	36
SUSTAINABILITY	38
USA MANUFACTURED	40
START YOUR PROJECT	42



DUXBAK® DEKK COLLECTION

Create functional dry spaces beneath elevated decks, balconies or walkways.



I.DEKK® COLLECTION

Built for high traffic, marine, and commercial environments.



OPTIMA® DEKK COLLECTION

All-purpose deck board for residential and commercial applications.



Discover the DuxxBak[®] Difference

You need decking that goes in right, holds up over time, and never comes back on you. That's why builders, contractors, and dealers trust DuxxBak, a wood-free composite system engineered to install clean, perform hard, and stay off the callback list.

Smarter materials. Stronger installs. Support that shows up.



COLOR-THROUGH TECHNOLOGY

TRACTION FINISH

DuxxBak uses color-through technology that guarantees long-lasting vibrance over time. Your deck will always look as good as the day it was installed with minimal color fade.

ZERO BOUNCE

Precision-formulated composite construction eliminates deflection, delivering a firm, bounce-free surface that walks like it means business.

WOOD-FREE COMPOSITE

DuxxBak's wood-free composite formula is inherently resistant to moisture, purpose-built for coastal decks, pool surrounds, and lakefront environments.

MADE IN THE UNITED STATES

DuxxBak decking and accessories are manufactured in the United States. This allows for direct oversight at every stage of production — from sourcing through final inspection.

SUSTAINABLY CRAFTED

Over half of every deck board is made from reclaimed materials like rice hulls and paper fiber. DuxxBak is also wood-free and PVC-free.

UNMATCHED STRENGTH

DuxxBak® Dekk spans joists at 24" OC, and our Commercial Dekk™ can span 28" OC with a live load rating of 100 lbs/sq.ft. These are industry-leading span and strength ratings — ideal for residential, commercial and marine applications.

LOW MAINTENANCE

No sealants to reapply, no stains to refresh, and no boards to replace. With DuxxBak, cleaning is the only maintenance needed. Follow our care and cleaning guidelines on DuxxBak.com for everything you need to keep your deck looking and performing its best.

DESIGNED FOR A LIFETIME

DuxxBak is backed by a Lifetime Limited Warranty covering structural integrity, rot, mildew, termites, and significant color fade. See DuxxBak.com for complete warranty terms.

TEMPERATURE CONTROL

DUXXBAK® DEKK & I.DEKK® COLLECTIONS

Most composite decking heats up and stays there. DuxxBak's open-channel I-beam design promotes airflow and rapid surface cooling, so your deck is always ready to use.

A close-up, high-angle photograph of a person's arm resting on a blue-painted wooden table. The arm is fair-skinned and wears a thin gold chain bracelet. In the upper right corner, a white marble charcuterie board is filled with fresh strawberries, clusters of purple grapes, golden-brown crackers, and a mix of nuts and pretzels. The table's surface is made of horizontal wooden planks, painted a muted blue color. The lighting is soft and natural, creating a warm and inviting atmosphere.

Timeless Color. Lasting Finish.

DuxxBak® Collections are available in two signature finishes, Traction and ArmorCap, across 15 timeless colors.

Style for Every Space




Cedar




Mahogany




Cool Sand




Walnut




Driftwood




Copper Canyon




Rustic Red




Warm Cedar




Dark Mahogany




Black Walnut



Sedona Red




Boardwalk Gray



Tree Bark
OPTIMA DEKK LT ONLY




River Stone
OPTIMA DEKK LT ONLY



Tanned Leather
OPTIMA DEKK LT ONLY

Traction Finish

Traction finish delivers a brushed texture with built-in grip, providing superior slip resistance in hot, wet, or waterfront conditions.



ArmorCap Finish

ArmorCap finish brings the depth and character of wood grain to composite, without the rot, refinishing, or seasonal upkeep it demands.



FIND YOUR PERFECT MATCH


Order a personalized sample kit and see the colors in your space, delivered to your door.



DuxxBak® Collections


DuxxBak® Dekk

WATER-SHEDDING



I.Dekk®

TRIPLE I-BEAM STRUCTURE



Optima® Dekk

PREMIUM SOLID-CORE


Find Your Perfect Board



DuxxBak® Dekk
WATER-SHEDDING




I.Dekk®
S4S



I.Dekk®
TONGUE & GROOVE



I.Dekk® HD
S4S



I.Dekk® HD
TONGUE & GROOVE

	DuxxBak® Dekk WATER-SHEDDING	I.Dekk® S4S	I.Dekk® TONGUE & GROOVE	I.Dekk® HD S4S	I.Dekk® HD TONGUE & GROOVE
Dimensions	7.3125" x 1.25" coverage 5.75"	5.5" x 1.25"	5.75" x 1.25" coverage 5.5"	5.5" x 1.25"	5.75" x 1.25" coverage 5.5"
Standard Lengths*	12' 16' 20' 24'	12' 16' 20'	12' 16' 20'	12' 16' 20'	12' 16' 20'
Span Rating	24"	21"	21"	24"	24"
Weight	2.1 lbs/lf	1.4 lbs/lf	1.34 lbs/lf	2 lbs/lf	1.94 lbs/lf
Structure	I-beam	I-beam	I-beam	I-beam	I-beam
Finish	Traction & ArmorCap	Traction	Traction	Traction	Traction
Integrated Drainage	✓	--	--	--	--
All-Purpose Decking	--	✓	--	✓	--
Stair Treads	--	✓	--	✓	--
Hidden Fastening	✓	✓	✓	✓	✓
Recommended Finishing Accessories	End Caps	End Caps or Perimeter Strip	End Caps or Perimeter Strip	End Caps or Perimeter Strip	End Caps or Perimeter Strip

Every outdoor space is different, and the right board should match how you build, where you build, and what you're building for. Whether you need water-shedding performance, structural load capacity, or the natural aesthetic of traditional wood grain, DuxxBak® has a board engineered for your project.



Commercial Dekk™
S4S



Optima® Dekk
SQUARE EDGE



Optima® Dekk
GROOVED



Optima® Dekk LT
SQUARE EDGE



Optima® Dekk LT
GROOVED

8" x 1.5"

5.4" x 1.065"

5.4" x 1.065"

5.28" x 0.955"

5.28" x 0.955"

16' 20'

12' 16' 20'

12' 16' 20'

12' 16' 20'

12' 16' 20'

28"

16"

16"

16"

16"

3.1 lbs/lf

2.82 lbs/lf

2.8 lbs/lf

2.02 lbs/lf

2 lbs/lf

I-beam

Solid-core

Solid-core

Solid-core

Solid-core

Traction

ArmorCap

ArmorCap

ArmorCap

ArmorCap

--

--

--

--

--

--

✓

✓

✓

✓

✓

✓

--

✓

--

✓

--

✓

--

✓

End Caps or
Perimeter Strip

Perimeter Strips

Perimeter Strips

Perimeter Strips

Perimeter Strips

*Extended and Custom Board Lengths Available

DuxxBak® Dekk

COLLECTION



Water-Shedding Technology

Boards lock together and channel water away from the structure below, keeping the area beneath your deck dry and turning dead space into usable, protected outdoor living.



Joist & Structural Protection

Water is intercepted at the deck surface, protecting joists, framing, and substructure from the moisture damage that causes premature failure.



Color-Through Technology

Color-through construction means scratch coverage is built into every board, so even a water-shedding deck that takes a beating keeps looking sharp.



Multi-Level
DRIFTWOOD

Traction Finish

Brushed texture with color-through construction and slip resistance built for wet conditions.

ArmorCap Finish

Deep wood-grain emboss with natural color variation and a scratch-resistant surface.

Elevated Deck
DARK MAHOGANY



Watertight
BOARDWALK GRAY






Water-Shedding

DUXXBAK® DEKK

DuxxBak® Dekk


TRACTION FINISH




Technical Specs

 Dimensions	7.3125" x 1.25" coverage 5.75"
 Standard Lengths*	12' 16' 20' 24'
 Span Rating	24"
 Weight	2.1 lbs/lf

Traction Colors



CEDAR



MAHOGANY




COOL SAND




WALNUT



DRIFTWOOD



COPPER
CANYON



RUSTIC RED

DuxxBak® Dekk


ARMORCAP FINISH




Technical Specs

 Dimensions	7.3125" x 1.25" coverage 5.75"
 Standard Lengths*	12' 16' 20' 24'
 Span Rating	24"
 Weight	2.1 lbs/lf


ArmorCap Colors




WARM CEDAR




DARK
MAHOGANY



BLACK
WALNUT



SEDONA RED



BOARDWALK
GRAY


*Extended and Custom Board Lengths Available

All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.

DUXXBAK® DEKK

The Ultimate Waterproof Decking Solution


With a patented water-shedding design, DuxxBak® Dekk seals out water at the surface, keeping the space below dry without gutters, liners, or added infrastructure.





Complete Your Staircase

DuxxBak® Dekk is designed for horizontal deck surfaces, not stair treads, but completing your project stays simple. For Traction finish decks, pair with I.Dekk® boards on stairs: the slip-resistant surface is ideal for wet, high-use conditions. For ArmorCap decks, Optima® Dekk delivers a seamless wood-grain match with the look of traditional stair treads. Either way, your stairs perform to the same standard as the rest of your build.



No Drip Through Decking™

Standard decking lets water fall through every gap, and once moisture reaches your joists and substructure, the damage is slow, invisible, and compounding. DuxxBak® Dekk is different by design: water is intercepted at the surface, channeled away, and never reaches the framing below. The result is a substructure that stays dry and the last deck you'll ever build.



I.Dekk®

COLLECTION



Triple I-Beam Structure

Provides premium strength and rigidity while keeping the boards lightweight.



Low Water Absorption

Mineral-based composite formula delivers industry-leading resistance to water absorption, engineered for areas where moisture exposure is constant.



Color-Through Technology

Color-through construction keeps boards looking consistent, scratches stay hidden, and color stays true even in high-traffic commercial and marine environments.



Traction Finish

Brushed texture engineered for grip in high-traffic and wet environments, docks, boardwalks, and commercial applications where slip resistance is non-negotiable.






Docks & Marina
DRIFTWOOD



Public Boardwalks
CEDAR



Standard

I.D.EKK®

I.Dekk® S4S


STANDARD SQUARE EDGE



Technical Specs

	Dimensions	5.5" x 1.25"
	Standard Lengths*	12' 16' 20'
	Span Rating	21"
	Weight	1.4 lbs/lf

Traction Finish



I.Dekk® T&G


STANDARD TONGUE & GROOVE



Technical Specs

	Dimensions	5.75" x 1.25" coverage 5.5"
	Standard Lengths*	12' 16' 20'
	Span Rating	21"
	Weight	1.34 lbs/lf

Traction Finish



*Extended and Custom Board Lengths Available

All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.



III III

Heavy-Duty

I.D.EKK®

I.Dekk® HD S4S


HEAVY-DUTY SQUARE EDGE



Technical Specs

	Dimensions	5.5" x 1.25"
	Standard Lengths*	12' 16' 20'
	Span Rating	24"
	Weight	2.00 lbs/lf

Traction Finish



I.Dekk® HD T&G


HEAVY-DUTY TONGUE & GROOVE



Technical Specs

	Dimensions	5.75" x 1.25" coverage 5.5"
	Standard Lengths*	12' 16' 20'
	Span Rating	24"
	Weight	1.94 lbs/lf

Traction Finish



*Extended and Custom Board Lengths Available

All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.



Commercial

I. DEKK®

Commercial Dekk™


STANDARD SQUARE EDGE



Technical Specs

	Dimensions	8" x 1.5"
	Standard Lengths*	16' 20'
	Span Rating	28"
	Weight	3.1 lbs/lf

Traction Finish



All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.

Commercial Dekk™ is the most heavy-duty board in the DuxxBak® lineup, with widest coverage, highest load rating, and a 28" span capability built for docks, boardwalks, and demanding commercial builds. Same I-beam engineering as I.Dekk®, scaled up for the jobs that demand more.

*Extended and Custom Board Lengths Available



Optima® Dekk

COLLECTION



Timeless Beauty of Hardwood

The warmth, texture, and visual depth of traditional hardwood, without the splintering, staining, or environmental cost that comes with it.




Low Water Absorption

Solid-core construction delivers superior resistance to water, rot, and decay, purpose-built for porches, screened rooms, and covered outdoor spaces.



Weather Defiant Composite

Built to hold its shape and finish through freeze-thaw cycles, UV exposure, and seasonal humidity, without rotting, cracking, or delaminating.



Stair Treads
BLACK WALNUT



ArmorCap Finish


Deep wood-grain emboss with natural color variation, delivering the look of premium hardwood in a scratch-resistant, low-maintenance composite surface.



Porch Deck
BLACK WALNUT



Screened-in Porch
WARM CEDAR



— —
Solid-Core
OPTIMA® DEKK

Optima® Dekk


PREMIUM SOLID-CORE SQUARE EDGE




Technical Specs

	Dimensions	5.4" x 1.065"
	Standard Lengths*	12' 16' 20'
	Span Rating	16"
	Weight	2.82 lbs/lf

ArmorCap Finish



WARM CEDAR



DARK
MAHOGANY



BLACK
WALNUT



SEDONA RED



BOARDWALK
GRAY

Optima® Dekk Grooved


PREMIUM SOLID-CORE GROOVED




Technical Specs

	Dimensions	5.4" x 1.065"
	Standard Lengths*	12' 16' 20'
	Span Rating	16"
	Weight	2.80 lbs/lf


ArmorCap Finish




WARM CEDAR




DARK
MAHOGANY



BLACK
WALNUT




SEDONA RED



BOARDWALK
GRAY

*Extended and Custom Board Lengths Available

All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.



Lightweight


OPTIMA® DEKK

Optima® Dekk LT

PREMIUM LIGHTWEIGHT SQUARE EDGE




ArmorCap Finish



TREE BARK



RIVER STONE



TANNED
LEATHER

Technical Specs



Dimensions

5.28" x 0.955"



Standard Lengths*

12' 16' 20'



Span Rating

16"



Weight


2.02 lbs/lf

Optima® Dekk LT Grooved

PREMIUM LIGHTWEIGHT GROOVED




ArmorCap Finish



TREE BARK



RIVER STONE



TANNED
LEATHER

Technical Specs



Dimensions

5.28" x 0.955"



Standard Lengths*

12' 16' 20'



Span Rating

16"



Weight


2.00 lbs/lf

*Extended and Custom Board Lengths Available

All printed samples are intended as a representation only and may vary from actual product appearance due to printing processes.




Forget Upkeep,
Focus on Living.



Traditional deck maintenance becomes a never-ending cycle of spring staining, summer repairs, fall sealing, and winter worry — only to repeat it every year, for the life of the deck.

DuxxBak® breaks that cycle. Mineral-composite construction doesn't rot, so there's nothing to seal. Doesn't harbor mold, so there's nothing to treat. Doesn't warp or splinter, so there's nothing to fix.

Get your weekends back.



DUXXBAK® ACCESSORIES

Finishing Touches

DuxxBak products are designed as a complete system, every accessory engineered to install cleanly, finish professionally, and are color compatible with your deck boards.



END CAP

End caps seal the open board channels against moisture, dirt, and insect infiltration, delivering a clean, finished edge at every board end. Apply with a flexible exterior sealant for best results.



PERIMETER STRIP

Perimeter strips create a finished edge along the perimeter of your deck, mitered to picture-frame the outer edge for a clean, professional look. On railed decks, install at the posts for the best result.



FEATURE STRIP


Feature strips are installed between deck board joints to add a dimensional design element. They're ideal for changing board direction or incorporating patterns and multiple colors, opening an abundance of creative possibilities for your deck.



FASCIA BOARD

Fascia boards run below the deck surface along the perimeter, concealing joists and delivering a clean edge profile. Install alone for a streamlined look, or pair with a perimeter strip for additional detail. A contrasting color choice adds visual definition and sharpens the finished edge.





FIND DEALERS NEAR YOU

Find a dedicated dealer or retail location near you. Product availability varies by retailer.



RECOMMENDED
SCREWS



MOUNTING
CLIPS




CAMO CLIPS




SPACERS

DuxxBak screws and installation accessories are recommended and available through your local DuxxBak dealer or retailer.

An aerial photograph of a dense, lush green forest. The canopy is thick with various shades of green, and some sunlight filters through, creating a dappled effect. The perspective is from directly above, looking down into the trees.

Smarter Materials. Smaller Footprint.

Sustainability isn't a label on DuxxBak®, it's the formula. Every board is made in the USA using a patented wood-free, PVC-free blend of rapidly renewable and reclaimed materials. By designing decking that genuinely resists rot and moisture damage, DuxxBak extends the service life of every install, which means fewer boards replaced, less material in landfills, and a lower environmental footprint over the life of the deck.



Renewable + Reclaimed Materials

Over 50% of DuxxBak's material composition comes from rapidly renewable resources or reclaimed material – turning waste into long-term performance.



Wood + PVC Free Formula

DuxxBak contains no wood fillers and no PVC. Unlike many traditional composite boards, DuxxBak's patented blend uses materials like rice hulls, Biodac®, and HDPE to create a more stable, moisture-resistant decking solution.



Made in the USA

Manufactured in the United States using American-sourced renewable ingredients. Made here means a safer product, with less green-house impact, and all while supporting our local communities.



Composite vs. Wood

DuxxBak composite vs. wood: no rot, no warping, no seasonal upkeep, just long-term performance that holds up season after season.





Midwest Built. Contractor Trusted.

DuxxBak® decking is designed, engineered, and manufactured in Green Bay, Wisconsin. Every component is sourced and produced in the United States to ensure complete control over quality, consistency, and performance.

Keeping production at home means tighter quality control, fewer variables, and a product you can trust from start to finish — without the uncertainty of global supply chains.

Our team at DuxxBak, live and work in the same communities where our products are used. That connection drives a higher level of care, pride, and accountability in every board we make.

When you choose DuxxBak, you're not just specifying a board, you're backing a product built by the people who stand behind it, in the country that built it.



Need Custom Length Boards?

DuxxBak's independent, single-site manufacturing gives us the flexibility that large national brands can't offer. Extended and custom board lengths are available, contact us at DuxxBak.com/contact to discuss your project requirements.




The Last Deck You'll Ever Build.

You've explored the collections, compared the features, and have seen what makes DuxxBak® different.

Now it's time to build. Whether it's a new project or a replacement, DuxxBak gives you the confidence that what goes down today will still be performing years from now, without callbacks, without replacements, without compromise.





Start Your Next Project Today



FIND A CONTRACTOR

DuxxBak has a nationwide network of contractors ready to bring your deck vision to life.



ORDER SAMPLES

Find the right finish and color, and see it in your space before you commit.



Questions?

Scan the QR code to visit **DuxxBak.com** or
call **833-DuxxBak** to speak with an expert.



DuxxBak®

©2026 Green Bay Decking, All Rights Reserved

MADE
IN THE **USA**